

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((policy near manager) with (mobile adj IP)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L2	0	((appl46 with filter43) with (mobile adj IP)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L3	0	((appl46 with filter43) with (mobile adj IP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L4	0	((appl46 with filter43) same (mobile adj IP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L5	0	((appl\$6 with filter43) with (mobile adj IP)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L6	0	((appl\$6 with filter43) with (mobile adj IP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L7	0	((appl\$6 with filter43) same (mobile adj IP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44

EAST Search History

L8	1296	(mobile adj IP).ab. or (mobile adj IP).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L9	857	((mobile adj IP).ab. or (mobile adj IP).ti.) and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L10	9	L9 and (filter\$3 same polic\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L11	20	L9 and ((apply or attach\$3 or add\$3) near (header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L12	20	L9 and ((apply or applying or attach\$3 or add\$3) near (header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L13	4	L9 and (bypass\$3 near (home adj agent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L14	0	L9 and (no near (mobile adj IP adj header) near add\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44

EAST Search History

L15	0	L9 and ((mobile adj IP adj header) near add\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L16	17	L9 and ((header) near add\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L17	39	((policy adj manager) with mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L18	21	L17 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L19	6	(US-20040208153-\$ or US-20040071120-\$ or US-20040221042-\$).did. or (US-7009950-\$ or US-6571289-\$ or US-6452920-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/08 11:44
L20	170	(remov\$3) near (IP adj header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L21	120	L20 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44

EAST Search History

L22	479	(add\$3) near (IP adj header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L23	340	L22 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L24	0	L22 and (@rlad<"20031125" or @ad<"20031125") and (filter\$3 near "TCP/IP")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L25	5	((add\$3) near (IP adj header)) same (filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L26	2	L25 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L27	1	(determin\$3 near original near destination near IP) same (filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L28	4	(determin\$3 near original near destination near IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44

EAST Search History

L29	0	L28 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L30	314	(determin\$3 near destination near IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L31	245	L30 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L32	126	L30 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:44
L33	0	(determin\$3 near destination near IP near filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L34	12	(determin\$3 near destination near IP) same filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L35	5	L34 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:44
L36	2	(modif\$3 near source near destination near IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L37	0	L36 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:44

EAST Search History

L38	105	(modif\$3 near IP near header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L39	38	L38 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:44
L40	6	(policy adj manager) same filter\$3 same IP	USPAT	OR	OFF	2008/02/08 11:44
L41	6	L40 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:44
L42	16	(packet near processing) same (mobile adj IP)	USPAT	OR	OFF	2008/02/08 11:44
L43	15	L42 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:44
L44	1733	370/392.ccls.	USPAT	OR	OFF	2008/02/08 11:44
L45	1696	L44 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:44
L46	15	((add\$3) near (IP adj header)) and L45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L47	0	(add\$3 near (Mobile adj IP adj header)) and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L48	39	((policy adj manager) with mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L49	857	((mobile adj IP).ab. or (mobile adj IP).ti.) and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44

EAST Search History

L50	9	L49 and (filter\$3 same polic\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L51	21	L48 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L52	0	((appl\$6 with filter43) with (mobile adj IP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L53	0	((appl46 with filter43) with (mobile adj IP)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L54	0	((appl\$6 with filter43) with (mobile adj IP)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L55	2	((policy near manager) with (mobile adj IP)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L56	0	((appl\$6 with filter43) same (mobile adj IP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44

EAST Search History

L57	1296	(mobile adj IP).ab. or (mobile adj IP).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L58	0	((appl46 with filter43) same (mobile adj IP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L59	0	((appl46 with filter43) with (mobile adj IP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L60	17	L49 and ((header) near add\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L61	20	L49 and ((apply or attach\$3 or add\$3) near (header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L62	0	L49 and ((mobile adj IP adj header) near add\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L63	4	L49 and (bypass\$3 near (home adj agent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44

EAST Search History

L64	0	L49 and (no near (mobile adj IP adj header) near add\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L65	20	L49 and ((apply or appling or attach\$3 or add\$3) near (header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L66	170	(remov\$3) near (IP adj header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L67	120	L66 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L68	6	(US-20040208153-\$ or US-20040071120-\$ or US-20040221042-\$).did. or (US-7009950-\$ or US-6571289-\$ or US-6452920-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/08 11:44
L69	16	(packet near processing) same (mobile adj IP)	USPAT	OR	OFF	2008/02/08 11:44
L70	15	L69 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:44
L71	0	(determin\$3 near destination near IP near filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L72	12	(determin\$3 near destination near IP) same filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44

EAST Search History

L73	5	L72 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:44
L74	2	(modif\$3 near source near destination near IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:44
L75	0	L74 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:45
L76	314	(determin\$3 near destination near IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L77	126	L76 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:45
L78	6	(policy adj manager) same filter\$3 same IP	USPAT	OR	OFF	2008/02/08 11:45
L79	6	L78 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:45
L80	105	(modif\$3 near IP near header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L81	38	L80 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:45
L82	479	(add\$3) near (IP adj header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L83	340	L82 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45

EAST Search History

L84	245	L76 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L85	4	(determin\$3 near original near destination near IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L86	0	L85 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L87	5	((add\$3) near (IP adj header)) same (filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L88	2	L87 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L89	1	(determin\$3 near original near destination near IP) same (filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L90	0	L82 and (@rlad<"20031125" or @ad<"20031125") and (filter\$3 near "TCP/IP")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L91	1733	370/392.ccls.	USPAT	OR	OFF	2008/02/08 11:45

EAST Search History

L92	1696	L91 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:45
L93	15	((add\$3) near (IP adj header)) and L92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L94	0	(add\$3 near (Mobile adj IP adj header)) and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L95	616	(filter\$3 same ((type near packet) or (packet near type)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L96	485	L95 and (@rlad<"20031125" or @ad<"20031125")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/08 11:45
L97	248	L95 and (@rlad<"20031125" or @ad<"20031125")	USPAT	OR	OFF	2008/02/08 11:45
L98	3	L95 and (@rlad<"20031125" or @ad<"20031125") and (mobile adj IP)	USPAT	OR	OFF	2008/02/08 11:45